

A photograph showing a long, narrow trench with concrete walls. Yellow FRP cable brackets are mounted on the walls, extending into the trench. The brackets are arranged in a regular pattern, creating a perspective that leads the eye down the center of the trench. The background shows a hazy, mountainous landscape under an overcast sky.

PRODUCT CATALOG

China FRP Profiles & Gratings

Brochure for

FRP Cable Bracket

Professional Composite Manufacturer & Solution Designer

Aocomm Composite Co., Ltd.

Contact: info@cofiberial.com

<https://www.cofiberial.com>


08. FRP Cable Bracket

For Channel and Trench Cable Wiring

FRP cable bracket is a material with good insulation performance. It is suitable for tunnel and trench cable laying occasions.

FRP cable bracket resists electromagnetic interference and prevents the production of eddy current effectively.

It has a smooth surface and a small friction coefficient to protect the cable.



Classical applications

- Cable trenches.
- Cable laying work wells.
- Cable tunnels.
- Cable inter-layer.



FRP cable bracket in cable tunnels



FRP cable bracket in cable trenches

Applications

Professional Composite Manufacturer & Solution Designer



FRP cable bracket types



Integral type

Socket Type

Combined
Suspension Type

Screw Type

Directly Buried
Type

Common Specifications

Common Specifications of FRP Integral Type Cable Bracket

Item	Total Length (mm)	Buried Length (mm)	Effective Length (mm)
FRPITCB-01	250	/	250
FRPITCB-02	300	/	300

Common Specifications of FRP Integral Type Cable Bracket

Item	Total Length (mm)	Buried Length (mm)	Effective Length (mm)
FRPSTCB-01	400	150	250
FRPSTCB-02	450	150	250
FRPSTCB-03	500	150	350
FRPSTCB-04	540	150	390
FRPSTCB-05	600	200	400
FRPSTCB-06	700	200	500

Common Specifications

Common Specifications of FRP Combined Type Cable Bracket

Item	Total Length (mm)	Buried Length (mm)	Effective Length (mm)
FRPCTCB-01	200	/	200
FRPCTCB-02	250	/	250
FRPCTCB-03	300	/	300
FRPCTCB-04	350	/	350
FRPCTCB-05	400	/	400
FRPCTCB-06	450	/	450
FRPCTCB-07	500	/	500
FRPCTCB-08	600	/	600

Common Specifications of FRP Screw Type Cable Bracket

Item	Total Length (mm)	Buried Length (mm)	Effective Length (mm)
FRPSTCB-01	150	/	150
FRPSTCB-02	200	/	200
FRPSTCB-03	250	/	250
FRPSTCB-04	300	/	300
FRPSTCB-05	350	/	350
FRPSTCB-06	400	/	400
FRPSTCB-07	450	/	450
FRPSTCB-08	500	/	500
FRPSTCB-09	600	/	600
FRPSTCB-10	670	/	670
FRPSTCB-11	880	/	880
FRPSTCB-12	1250	/	1250
FRPSTCB-13	1300	/	1300

Common Specifications of FRP Directly Buried Type Cable Bracket

Item	Total Length (mm)	Buried Length (mm)	Effective Length (mm)
FRPDBTCB-01	300	150	150
FRPDBTCB-02	400	150	250
FRPDBTCB-03	450	150	300
FRPDBTCB-04	500	150	350
FRPDBTCB-05	540	150	390
FRPDBTCB-06	600	200	400
FRPDBTCB-07	700	200	500



AOCOMM[®]

AOCOMM COMPOSITE CO., LTD.

Office:

C Valley-China Communications
Construction, Dongjiang Port,
Tianjin Free Trade Zone.

Factory:

No. 188, Fuqiang North Road,
Zaoqiang County, Hebei
Province, China.

E-mail:

info@cofiberial.com

Website:

www.cofiberial.com