



# PRODUCT CATALOG

*China FRP Profiles & Gratings*

Brochure for  
**FRP Insulated Stool**

*Professional Composite Manufacturer & Solution Designer*

***Aocomm Composite Co., Ltd.***

**Contact:** [info@cofiberial.com](mailto:info@cofiberial.com)

***https://www.cofiberial.com***

# Applications

Professional Composite Manufacturer & Solution Designer



## 6. FRP Insulated Stool

### Safe & Efficient Working at Height

**FRP insulated stool** is made of glass fiber and epoxy resin, which features with excellent insulation, anti-aging, lightweight, high strength and good appearance. Four support frames are fiberglass square tubes which bear most of loading and they are not easy to deformation. Its rivet is the aluminum rivet. Common types are single layer, double-layer, three layers, four layers and five layers. It finds favor with many people, especially electricians.



**Single Layer FRP Insulated Stool**



**Double-Layer FRP Insulated Stool**




**Three Layers FRP Insulated Stool**



**Four Layers FRP Insulated Stool**

## Product Details

- It is made of glass fiber, glass fiber, epoxy resin, excellent insulation performance.
- Aluminum rivet.
- The handle can be detachable.
- Its frame is fiberglass square tube in yellow.
- It is made of glass fiber, glass fiber, epoxy resin and excellent insulation performance.
- Installation with casters, light weight and convenient for transportation and storage.



# Applications

Professional Composite Manufacturer & Solution Designer



## Features

- *Anti-slipping performance.*
- *Light weight, high strength.*
- *Non-conductive.*
- *Anti-slipping performance.*
- *Light weight, high strength.*
- *Non-conductive.*

## Classical Applications

- Family.
- Factory.
- Warehouse.
- Electric industry.
- Power distribution room.
- Power station.

## Common Specifications

Item	Height (mm)	Weight (kg)	Number of Layers	Load Weight (kg)
FRPIS-01	0.5	6.5	2	100
FRPIS-02	0.6	6.8	2	100
FRPIS-03	0.7	9.5	2	100
FRPIS-04	0.8	10.2	2	100
FRPIS-05	0.9	12	3	100
FRPIS-06	1	13	3	100
FRPIS-07	1.1	13.5	3	100
FRPIS-08	1.2	14	3	100
FRPIS-09	1.3	16	4	100
FRPIS-10	1.4	18	5	100
FRPIS-11	1.5	19.4	5	100





**AOCOMM**<sup>®</sup>

## AOCOMM COMPOSITE CO., LTD.

**Office:**

C Valley-China Communications  
Construction, Dongjiang Port,  
Tianjin Free Trade Zone.

**Factory:**

No. 188, Fuqiang North Road,  
Zaoqiang County, Hebei  
Province, China.

**E-mail:**

[info@cofiberial.com](mailto:info@cofiberial.com)

**Website:**

[www.cofiberial.com](http://www.cofiberial.com)